



# CIRCULAR TUBE

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER	MANUFACTURING STANDARD	MATERIAL GRADE
12.7	1.6	6	0.438	SANS 657 / EN10219	CQ / SAE 1008
15.9	1.6	6	0.560	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	0.686	SANS 657 / EN10219	CQ / SAE 1008
17	2.0	6	0.739	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	1.035	SANS 657 / EN10219	CQ / SAE 1008
19.1	1.6	6	0.690	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	0.840	SANS 657 / EN10219	CQ / SAE 1008
21.4	1.6	6	0.778	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	0.953	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.158	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	1.361	SANS 657 / EN10219	CQ / SAE 1008
25.4	1.6	6	0.939	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.154	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.411	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	1.657	SANS 657 / EN10219	CQ / SAE 1008
26.9	1.6	6	1.002	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.233	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.502	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	1.768	SANS 657 / EN10219	CQ / SAE 1008
31.8	1.6	6	1.189	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.467	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.817	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	2.123	SANS 657 / EN10219	CQ / SAE 1008
34.1	1.6	6	1.282	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.562	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.942	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	2.293	SANS 657 / EN10219	CQ / SAE 1008
	3.5	6	2.643	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	2.969	SANS 657 / EN10219	CQ / SAE 1008
38.1	1.6	6	1.440	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.780	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.192	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	2.790	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	3.364	SANS 657 / EN10219	CQ / SAE 1008
	4.5	6	3.729	SANS 657 / EN10219	CQ / SAE 1008
42.8	1.6	6	1.642	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.010	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.484	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	2.944	SANS 657 / EN10219	CQ / SAE 1008
	3.5	6	3.397	SANS 657 / EN10219	CQ / SAE 1008

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER	MANUFACTURING STANDARD	MATERIAL GRADE
42.8	4.0	6	3.827	SANS 657 / EN10219	CQ / SAE 1008
44.5	1.6	6	1.690	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.096	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	3.070	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	4.000	SANS 657 / EN10219	CQ / SAE 1008
	4.5	6	4.440	SANS 657 / EN10219	CQ / SAE 1008
48.5	1.6	6	1.846	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.288	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.830	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	3.358	SANS 657 / EN10219	CQ / SAE 1008
	3.5	6	3.875	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	4.366	SANS 657 / EN10219	CQ / SAE 1008
	4.5	6	4.870	SANS 657 / EN10219	CQ / SAE 1008
50.8	1.6	6	1.940	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.406	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.089	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	3.533	SANS 657 / EN10219	CQ / SAE 1008
	3.5	6	4.083	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	4.616	SANS 657 / EN10219	CQ / SAE 1008
	4.5	6	5.138	SANS 657 / EN10219	CQ / SAE 1008
57.1	1.6	6	2.191	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.718	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.089	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.003	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	5.248	SANS 657 / EN10219	CQ / SAE 1008
	4.5	6	5.837	SANS 657 / EN10219	CQ / SAE 1008
60.3	1.6	6	2.317	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.875	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.700	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.224	SANS 657 / EN10219	S 355
	3.5	6	4.900	SANS 657 / EN10219	S 355
	4.0	6	5.551	SANS 657 / EN10219	S 355
	4.5	6	6.154	SANS 657 / EN10219	S 355
63.5	1.6	6	2.440	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.031	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.758	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.472	SANS 657 / EN10219	S 355
	3.5	6	5.174	SANS 657 / EN10219	S 355
	4.0	6	5.875	SANS 657 / EN10219	S 355
	4.5	6	6.541	SANS 657 / EN10219	S 355
70	3.0	6	4.980	SANS 657 / EN10219	S 355
73	2.0	6	3.500	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	5.180	SANS 657 / EN10219	S 355
	4.5	6	7.600	SANS 657 / EN10219	S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER	MANUFACTURING STANDARD	MATERIAL GRADE
73	5.0	6	8.380	SANS 657 / EN10219	S 355
76.2	1.6	6	2.942	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.658	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	4.534	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	5.416	SANS 657 / EN10219	S 355
	3.5	6	6.261	SANS 657 / EN10219	S 355
	4.0	6	7.105	SANS 657 / EN10219	S 355
	4.5	6	7.939	SANS 657 / EN10219	S 355
	5.0	6	8.778	SANS 657 / EN10219	S 355
	6.0	6	10.386	SANS 657 / EN10219	S 355
88.9	2.0	6	4.286	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	5.327	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	6.355	SANS 657 / EN10219	S 355
	3.5	6	7.371	SANS 657 / EN10219	S 355
	4.0	6	8.375	SANS 657 / EN10219	S 355
	4.5	6	9.366	SANS 657 / EN10219	S 355
	5.0	6	10.344	SANS 657 / EN10219	S 355
	6.0	6	12.265	SANS 657 / EN10219	S 355
95	1.6	6 / 6.1	3.685	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6 / 6.1	4.586	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6 / 6.1	5.702	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6 / 6.1	6.806	SANS 657 / EN10219	S 355
	3.5	6.1	7.897	SANS 657-1(Def 3.1)	S 355
	4.0	6.1	8.976	SANS 657-1(Def 3.1)	S 355
	4.5	6.1	10.043	SANS 657-1(Def 3.1)	S 355
	5.0	6.1	11.090	SANS 657-1(Def 3.1)	S 355
	6.0	6.1	13.170	SANS 657-1(Def 3.1)	S 355
101.6	1.6	6	3.703	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	4.908	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	6.104	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	7.288	SANS 657 / EN10219	S 355
	3.5	6	8.460	SANS 657 / EN10219	S 355
	4.0	6	9.619	SANS 657 / EN10219	S 355
	4.5	6	10.760	SANS 657 / EN10219	S 355
	5.0	6	11.911	SANS 657 / EN10219	S 355
	6.0	6	14.135	SANS 657 / EN10219	S 355
114.3	2.0	6	5.534	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	6.893	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	8.221	SANS 657 / EN10219	S 355
	3.5	6	8.555	SANS 657 / EN10219	S 355
	4.0	6	10.880	SANS 657 / EN10219	S 355
	4.5	6	12.170	SANS 657 / EN10219	S 355
	5.0	6	13.465	SANS 657 / EN10219	S 355
	6.0	6	16.011	SANS 657 / EN10219	S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER	MANUFACTURING STANDARD	MATERIAL GRADE
127	2.0	6	6.165	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	7.669	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	9.166	SANS 657 / EN10219	S 355
	3.5	6	10.660	SANS 657 / EN10219	S 355
	4.0	6	12.120	SANS 657 / EN10219	S 355
	4.5	6	13.59	SANS 657 / EN10219	S 355
	5.0	6	15.044	SANS 657 / EN10219	S 355
	6.0	6	17.88	SANS 657 / EN10219	S 355
139.7	3.0	6	10.110	SANS 657 / EN10219	S 355
	3.5	6	11.760	SANS 657 / EN10219	S 355
	4.0	6	13.390	SANS 657 / EN10219	S 355
	4.5	6	15.000	SANS 657 / EN10219	S 355
	5.0	6	16.610	SANS 657 / EN10219	S 355
	6.0	6	19.780	SANS 657 / EN10219	S 355
152.4	2.0	6	7.493	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	9.335	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	11.050	SANS 657 / EN10219	S 355
	3.5	6	12.850	SANS 657 / EN10219	S 355
	4.0	6	14.640	SANS 657 / EN10219	S 355
	4.5	6	16.410	SANS 657 / EN10219	S 355
	5.0	6	18.180	SANS 657 / EN10219	S 355
	6.0	6	21.660	SANS 657 / EN10219	S 355
165.1	3.0	6	11.990	SANS 657 / EN10219	S 355
	3.5	6	13.950	SANS 657 / EN10219	S 355
	4.0	6	15.890	SANS 657 / EN10219	S 355
	4.5	6	17.810	SANS 657 / EN10219	S 355
	5.0	6	19.740	SANS 657 / EN10219	S 355
	6.0	6	23.540	SANS 657 / EN10219	S 355
177.8	3.0	6	13.000	SANS 657 / EN10219	S 355
	4.0	6	17.230	SANS 657 / EN10219	S 355
	4.5	6	19.340	SANS 657 / EN10219	S 355
	6.0	6	25.300	SANS 657 / EN10219	S 355
193.7	3.0	6 / 6.1	14.130	SANS 657 / EN10219	S 355
	3.5	6 / 6.1	16.440	SANS 657 / EN10219	S 355
	4.0	6	18.530	SANS 657 / EN10219	S 355
	4.5	6 / 6.1	21.030	SANS 657 / EN10219	S 355
	5.0	6	23.300	SANS 657 / EN10219	S 355
	6.0	6 / 6.1	27.820	SANS 657 / EN10219	S 355
219.1	3.0	6	15.981	SANS 657 / EN 10219	S 355
	3.5	6.1 / 9.144 / 12.2	18.600	SANS 657 / EN 10219	S 355
	4.0	6	21.217	SANS 657 / EN 10219	S 355
	4.5	6.1 / 9.144 / 12.2	23.810	SANS 657 / EN 10219	S 355
	6.0	6.1 / 9.144 / 12.2	31.530	SANS 657 / EN 10219	S 355