



RECTANGULAR TUBE

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
25.4 x 12.7	1.6	6	0.894	0.894	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.094	1.094	SANS 657 / EN10219	CQ / SAE 1008
30 x 20	1.6	6	1.189	1.189	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	1.467	1.467	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	1.817	1.817	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	2.123	2.123	SANS 657-1(Def 3.1)	CQ / SAE 1008
31.8 x 19.1	1.6	6	1.212	1.212	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.469	1.469	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	1.817	1.817	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	2.123	2.123	SANS 657-1(Def 3.1)	CQ / SAE 1008
38.1 x 19.1	1.6	6	1.435	1.435	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.780	1.780	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.192	2.192	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	2.790	2.790	SANS 657-1(Def 3.1)	CQ / SAE 1008
38.1 x 25.4	1.6	6	1.531	1.440	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.894	1.780	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.390	2.192	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	2.768	2.597	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.0	6	3.592	3.364	SANS 657-1(Def 3.1)	CQ / SAE 1008
40 x 20	1.6	6	1.440	1.440	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	1.781	1.781	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.190	2.190	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	2.597	2.597	SANS 657-1(Def 3.1)	CQ / SAE 1008
40 x 30	1.6	6	1.690	1.690	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.096	2.096	SANS 657-1(Def 3.1)	CQ / SAE 1008
44.5 x 25.4	1.6	6	1.690	1.690	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.096	2.096	SANS 657-1(Def 3.1)	CQ / SAE 1008
44.5 x 31.8	1.6	6	1.846	1.846	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.288	2.288	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	2.830	2.830	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	3.358	3.358	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.0	6	4.366	4.366	SANS 657-1(Def 3.1)	CQ / SAE 1008
50 x 20	1.6	6	1.690	1.690	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.096	2.096	SANS 657-1(Def 3.1)	CQ / SAE 1008
50.8 x 25.4	1.6	6	1.850	1.850	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	2.293	2.293	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	2.803	2.803	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	3.326	3.326	SANS 657 / EN10219	CQ / SAE 1008
	4.0	6	4.366	4.366	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.5	6	4.882	4.882	SANS 657-1(Def 3.1)	CQ / SAE 1008
50 x 30	1.6	6	1.940	1.940	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.406	2.406	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.089	3.089	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	3.533	3.533	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.0	6	4.616	4.616	SANS 657-1(Def 3.1)	CQ / SAE 1008
50.8 x 38.1	1.6	6	2.190	2.190	SANS 657 / EN10219	CQ / SAE 1008

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
50.8 x 38.1	2.0	6	2.718	2.718	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.366	3.366	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.003	4.003	SANS 657 / EN10219	CQ / SAE 1008
50 x 40	1.6	6	2.191	2.191	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.718	2.718	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.089	3.089	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	4.003	4.003	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.0	6	5.248	5.248	SANS 657-1(Def 3.1)	CQ / SAE 1008
57.2 x 19.1	1.6	6	1.876	1.876	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.288	2.288	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	2.830	2.830	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	3.358	3.358	SANS 657-1(Def 3.1)	CQ / SAE 1008
60 x 20	1.6	6	1.940	1.940	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.406	2.406	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.089	3.089	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	3.533	3.533	SANS 657-1(Def 3.1)	CQ / SAE 1008
60 x 30	1.6	6	2.191	2.191	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.718	2.718	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.089	3.089	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	4.003	4.003	SANS 657-1(Def 3.1)	CQ / SAE 1008
60 x 40	1.6	6	2.440	2.440	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	3.041	3.041	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.770	3.770	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.487	4.487	SANS 657 / EN10219	S 355
	3.5	6	5.174	5.174	SANS 657-1(Def 3.1)	S 355
	4.0	6	5.875	5.875	SANS 657-1(Def 3.1)	S 355
63.5 x 25.4	4.5	6	6.541	6.541	SANS 657-1(Def 3.1)	S 355
	1.6	6	2.191	2.191	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	2.718	2.718	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.089	3.089	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	4.003	4.003	SANS 657-1(Def 3.1)	CQ / SAE 1008
63.5 x 38.1	4.0	6	5.248	5.248	SANS 657-1(Def 3.1)	CQ / SAE 1008
	1.6	6	2.440	2.440	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	3.031	3.031	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	3.758	3.758	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	4.476	4.476	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.5	6	5.174	5.174	SANS 657-1(Def 3.1)	CQ / SAE 1008
	4.0	6	5.875	5.875	SANS 657-1(Def 3.1)	CQ / SAE 1008
63.5 x 50.8	4.5	6	6.541	6.541	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	3.031	3.489	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	4.472	5.160	SANS 657-1(Def 3.1)	S 355
70 x 20	4.5	6	6.541	7.574	SANS 657-1(Def 3.1)	S 355
	1.6	6	2.191	2.191	SANS 657-1(Def 3.1)	CQ / SAE 1008
76.2 x 25.4	2.0	6	2.718	2.718	SANS 657-1(Def 3.1)	CQ / SAE 1008
	1.6	6	2.410	2.410	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.031	3.031	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	3.758	3.758	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	4.471	4.471	SANS 657 / EN10219	S 355
	3.5	6	5.173	5.173	SANS 657-1(Def 3.1)	S 355
	4.0	6	5.875	5.875	SANS 657-1(Def 3.1)	S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
76.2 x 25.4	4.5	6	6.541	6.541	SANS 657-1(Def 3.1)	S 355
76.2 x 38.1	1.6	6	2.817	2.440	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.501	3.031	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	4.346	3.758	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	5.160	4.472	SANS 657 / EN10219	S 355
	3.5	6	6.597	5.174	SANS 657-1(Def 3.1)	S 355
	4.0	6	6.807	5.875	SANS 657-1(Def 3.1)	S 355
	4.5	6	7.939	6.541	SANS 657-1(Def 3.1)	S 355
76.2 x 50.8	1.6	6	3.090	3.090	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.844	3.844	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	4.774	4.774	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	5.691	5.691	SANS 657 / EN10219	S 355
	3.5	6	6.597	6.597	SANS 657-1(Def 3.1)	S 355
	4.0	6	7.499	7.499	SANS 657 / EN10219	S 355
	4.5	6	8.371	8.371	SANS 657 / EN10219	S 355
	5.0	6	8.778	8.778	SANS 657-1(Def 3.1)	S 355
	6.0	6	10.386	10.386	SANS 657-1(Def 3.1)	S 355
80 x 40	1.6	6	2.937	2.937	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	3.652	3.652	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	4.534	4.534	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	5.403	5.403	SANS 657 / EN10219	S 355
	3.5	6	6.261	6.261	SANS 657-1(Def 3.1)	S 355
	4.0	6	7.105	7.105	SANS 657-1(Def 3.1)	S 355
	4.5	6	7.939	7.939	SANS 657-1(Def 3.1)	S 355
	5.0	6	8.778	8.778	SANS 657-1(Def 3.1)	S 355
80 x 60	2.0	6	4.286	4.286	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	5.327	5.327	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	6.355	6.355	SANS 657-1(Def 3.1)	S 355
	3.5	6	7.371	7.371	SANS 657-1(Def 3.1)	S 355
	4.0	6	8.375	8.375	SANS 657-1(Def 3.1)	S 355
	4.5	6	9.366	9.366	SANS 657-1(Def 3.1)	S 355
	5.0	6	10.344	10.344	SANS 657-1(Def 3.1)	S 355
	6.0	6	73.030	73.030	SANS 657-1(Def 3.1)	S 355
90 x 50	2.0	6	4.286	4.286	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	5.327	5.327	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	6.355	6.355	SANS 657-1(Def 3.1)	S 355
	3.5	6	7.371	7.371	SANS 657-1(Def 3.1)	S 355
	4.0	6	8.375	8.375	SANS 657-1(Def 3.1)	S 355
	4.5	6	9.366	9.366	SANS 657-1(Def 3.1)	S 355
	5.0	6	10.344	10.344	SANS 657-1(Def 3.1)	S 355
	6.0	6	12.172	12.172	SANS 657-1(Def 3.1)	S 355
90 x 60	2.0	6	4.586	4.286	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	6.806	6.355	SANS 657-1(Def 3.1)	S 355
	3.5	6	7.897	7.371	SANS 657-1(Def 3.1)	S 355
	4.0	6	8.976	8.375	SANS 657-1(Def 3.1)	S 355
	4.5	6	10.043	9.366	SANS 657-1(Def 3.1)	S 355
	5.0	6	11.090	10.344	SANS 657-1(Def 3.1)	S 355
	6.0	6	13.170	12.265	SANS 657-1(Def 3.1)	S 355
100 x 40	2.0	6	4.286	4.286	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	5.327	5.327	SANS 657-1(Def 3.1)	SAE 1008

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
100 x 40	3.0	6	6.385	6.385	SANS 657-1(Def 3.1)	S 355
	3.5	6	7.371	7.371	SANS 657-1(Def 3.1)	S 355
	4.0	6	8.375	8.375	SANS 657-1(Def 3.1)	S 355
	4.5	6	9.366	9.366	SANS 657-1(Def 3.1)	S 355
	5.0	6	10.344	10.344	SANS 657-1(Def 3.1)	S 355
100 x 50	1.6	6	3.673	3.673	SANS 657 / EN10219	CQ / SAE 1008
	2.0	6	4.583	4.583	SANS 657 / EN10219	CQ / SAE 1008
	2.5	6	5.690	5.690	SANS 657 / EN10219	CQ / SAE 1008
	3.0	6	6.801	6.801	SANS 657 / EN10219	S 355
	3.5	6	7.891	7.891	SANS 657 / EN10219	S 355
	4.0	6	8.969	8.969	SANS 657 / EN10219	S 355
	4.5	6	10.034	10.034	SANS 657 / EN10219	S 355
	5.0	6	11.129	11.129	SANS 657 / EN10219	S 355
	6.0	6	13.104	13.104	SANS 657 / EN10219	S 355
100 x 60	2.0	6	4.908	4.908	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	6.104	6.104	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	7.288	7.288	SANS 657-1(Def 3.1)	S 355
	3.5	6	8.460	8.460	SANS 657-1(Def 3.1)	S 355
	4.0	6	9.619	9.619	SANS 657-1(Def 3.1)	S 355
	4.5	6	10.760	10.760	SANS 657-1(Def 3.1)	S 355
	5.0	6	11.911	11.911	SANS 657-1(Def 3.1)	S 355
	6.0	6	14.135	14.135	SANS 657-1(Def 3.1)	S 355
100 x 63.5	1.6	6	3.945	3.945	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.0	6	4.908	4.908	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	6.104	6.104	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	7.288	7.288	SANS 657-1(Def 3.1)	S 355
	3.5	6	8.460	8.460	SANS 657-1(Def 3.1)	S 355
	4.0	6	9.619	9.619	SANS 657-1(Def 3.1)	S 355
	4.5	6	10.760	10.760	SANS 657-1(Def 3.1)	S 355
	5.0	6	11.910	11.910	SANS 657-1(Def 3.1)	S 355
	6.0	6	14.135	14.135	SANS 657-1(Def 3.1)	S 355
	100 x 80	2.0	6	5.534	5.534	SANS 657-1(Def 3.1)
2.5		6	6.893	6.893	SANS 657-1(Def 3.1)	CQ / SAE 1008
3.0		6	8.221	8.221	SANS 657-1(Def 3.1)	S 355
3.5		6	9.555	9.555	SANS 657-1(Def 3.1)	S 355
4.0		6	10.880	10.880	SANS 657-1(Def 3.1)	S 355
4.5		6	12.170	12.170	SANS 657-1(Def 3.1)	S 355
5.0		6	13.465	13.465	SANS 657-1(Def 3.1)	S 355
6.0		6	16.011	16.011	SANS 657-1(Def 3.1)	S 355
120 x 40	2.0	6	4.908	4.908	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	6.104	6.104	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	7.288	7.288	SANS 657-1(Def 3.1)	S 355
	3.5	6	8.460	8.460	SANS 657-1(Def 3.1)	S 355
	4.0	6	9.619	9.619	SANS 657-1(Def 3.1)	S 355
	4.5	6	10.760	10.760	SANS 657-1(Def 3.1)	S 355
	5.0	6	11.911	11.911	SANS 657-1(Def 3.1)	S 355
120 x 60	2.0	6	5.534	5.534	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	6.893	6.893	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	8.221	8.221	SANS 657-1(Def 3.1)	S 355
	3.5	6	9.555	9.555	SANS 657-1(Def 3.1)	S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
120 x 60	4.0	6	10.880	10.880	SANS 657-1(Def 3.1)	S 355
	4.5	6	12.170	12.170	SANS 657-1(Def 3.1)	S 355
	5.0	6	13.465	13.465	SANS 657-1(Def 3.1)	S 355
	6.0	6	16.011	16.011	SANS 657-1(Def 3.1)	S 355
120 x 80	2.0	6	6.165	6.165	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	7.669	7.669	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	9.166	9.166	SANS 657-1(Def 3.1)	S 355
	3.5	6	10.660	10.660	SANS 657-1(Def 3.1)	S 355
	4.0	6	12.130	12.130	SANS 657-1(Def 3.1)	S 355
	4.5	6	13.590	13.590	SANS 657-1(Def 3.1)	S 355
	5.0	6	15.040	15.040	SANS 657-1(Def 3.1)	S 355
	6.0	6	17.900	17.900	SANS 657-1(Def 3.1)	S 355
127 x 63.5	2.0	6	5.881	5.534	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	7.321	6.893	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	8.748	8.211	SANS 657-1(Def 3.1)	S 355
	3.5	6	10.163	9.555	SANS 657-1(Def 3.1)	S 355
	4.0	6	11.566	10.880	SANS 657-1(Def 3.1)	S 355
	4.5	6	12.956	12.170	SANS 657-1(Def 3.1)	S 355
	5.0	6	14.334	13.465	SANS 657-1(Def 3.1)	S 355
	6.0	6	17.903	16.011	SANS 657-1(Def 3.1)	S 355
127 x 76	2.0	6	6.160	6.160	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	7.669	7.669	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	9.116	9.116	SANS 657-1(Def 3.1)	S 355
	3.5	6	10.650	10.650	SANS 657-1(Def 3.1)	S 355
	4.0	6	12.120	12.120	SANS 657-1(Def 3.1)	S 355
	4.5	6	13.580	13.580	SANS 657-1(Def 3.1)	S 355
	5.0	6	15.278	15.278	SANS 657-1(Def 3.1)	S 355
	6.0	6	17.880	17.880	SANS 657-1(Def 3.1)	S 355
127 x 101.6	3.0	6	10.543	10.133	SANS 657-1(Def 3.1)	S 355
	3.5	6	12.257	11.756	SANS 657-1(Def 3.1)	S 355
	4	6	13.959	13.386	SANS 657-1(Def 3.1)	S 355
	4.5	6	15.648	15.003	SANS 657-1(Def 3.1)	S 355
	5.0	6	17.325	16.609	SANS 657-1(Def 3.1)	S 355
	6.0	6	20.642	19.782	SANS 657-1(Def 3.1)	S 355
130 x 50	2.0	6	5.534	5.534	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	6.893	6.893	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	8.211	8.211	SANS 657-1(Def 3.1)	S 355
	3.5	6	9.555	9.555	SANS 657-1(Def 3.1)	S 355
	4.0	6	10.880	10.880	SANS 657-1(Def 3.1)	S 355
	4.5	6	12.170	12.170	SANS 657-1(Def 3.1)	S 355
	5.0	6	13.465	13.465	SANS 657-1(Def 3.1)	S 355
	6.0	6	16.011	16.011	SANS 657-1(Def 3.1)	S 355
140 x 80	3.0	6	10.110	10.110	SANS 657-1(Def 3.1)	S 355
	3.5	6	11.760	11.760	SANS 657-1(Def 3.1)	S 355
	4.0	6	13.390	13.390	SANS 657-1(Def 3.1)	S 355
	4.5	6	15.000	15.000	SANS 657-1(Def 3.1)	S 355
	5.0	6	16.610	16.610	SANS 657-1(Def 3.1)	S 355
	6.0	6	19.780	19.780	SANS 657-1(Def 3.1)	S 355
150 x 50	2.0	6	6.165	6.165	SANS 657-1(Def 3.1)	CQ / SAE 1008 / S 235

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
150 x 50	2.5	6	7.669	7.669	SANS 657-1(Def 3.1)	CQ / SAE 1008 / S 235
	3.0	6	9.166	9.166	SANS 657-1(Def 3.1)	S 355
	3.5	6	10.660	10.660	SANS 657-1(Def 3.1)	S 355
	4.0	6	12.120	12.120	SANS 657-1(Def 3.1)	S 355
	4.5	6	13.590	13.590	SANS 657-1(Def 3.1)	S 355
	5.0	6	15.044	15.044	SANS 657-1(Def 3.1)	S 355
	6.0	6	17.880	17.880	SANS 657-1(Def 3.1)	S 355
152.4 x 76.2	3.0	6	10.543	10.133	SANS 657-1(Def 3.1)	S 355
	3.5	6	12.257	11.756	SANS 657-1(Def 3.1)	S 355
	4.0	6	13.959	13.386	SANS 657-1(Def 3.1)	S 355
	4.5	6	15.648	15.003	SANS 657-1(Def 3.1)	S 355
	5.0	6	17.325	16.607	SANS 657-1(Def 3.1)	S 355
	6.0	6	20.642	19.782	SANS 657-1(Def 3.1)	S 355
152.4 x 114.3	3.0	6	12.304	11.992	SANS 657-1(Def 3.1)	S 355
	3.5	6	14.312	13.948	SANS 657-1(Def 3.1)	S 355
	4.0	6	16.306	15.891	SANS 657-1(Def 3.1)	S 355
	4.5	6	18.289	17.822	SANS 657-1(Def 3.1)	S 355
	5.0	6	20.260	19.740	SANS 657-1(Def 3.1)	S 355
	6.0	6	24.164	23.540	SANS 657-1(Def 3.1)	S 355
150 x 100	2.0	6	7.749	7.493	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	9.656	9.335	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	11.550	11.050	SANS 657-1(Def 3.1)	S 355
	3.5	6	13.342	12.850	SANS 657-1(Def 3.1)	S 355
	4.0	6	15.302	14.640	SANS 657-1(Def 3.1)	S 355
	4.5	6	17.159	16.410	SANS 657-1(Def 3.1)	S 355
	5.0	6	19.004	18.180	SANS 657-1(Def 3.1)	S 355
	6.0	6	22.657	21.660	SANS 657-1(Def 3.1)	S 355
	8.0	6.1 / 12.2	29.815	28.410	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 12.2	36.776	35.020	SANS 657-1(Def 3.1)	S 235 or S 355
150 x 125	8.0	6.1 / 9.144 / 12.2	30.810	30.810	EN 10219	S 355
	10.0	6.1 / 9.144 / 12.2	37.340	37.340	EN 10219	S 355
152 x 127	3.0	6	13.000	13.000	SANS 657-1(Def 3.1)	S 355
	3.5	6	13.590	13.590	SANS 657-1(Def 3.1)	S 355
	4.0	6	17.230	17.230	SANS 657-1(Def 3.1)	S 355
	4.5	6	19.340	19.340	SANS 657-1(Def 3.1)	S 355
	5.0	6	19.740	19.740	SANS 657-1(Def 3.1)	S 355
	6.0	6	23.540	23.540	SANS 657-1(Def 3.1)	S 355
160 x 80	2.0	6	7.493	7.493	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	9.335	9.335	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	11.050	11.050	SANS 657-1(Def 3.1)	S 355
	3.5	6	12.850	12.850	SANS 657-1(Def 3.1)	S 355
	4.0	6	14.640	14.640	SANS 657-1(Def 3.1)	S 355
	4.5	6	16.410	16.410	SANS 657-1(Def 3.1)	S 355
	5.0	6	18.180	18.180	SANS 657-1(Def 3.1)	S 355
	6.0	6	21.660	21.660	SANS 657-1(Def 3.1)	S 355
	8.0	6	28.410	28.410	SANS 657-1(Def 3.1)	S 355
	10.0	6	31.490	31.490	SANS 657-1(Def 3.1)	S 355
160 x 90	2.0	6	7.493	7.493	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	9.335	9.335	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	11.050	11.050	SANS 657-1(Def 3.1)	S 355
	3.5	6	12.850	12.850	SANS 657-1(Def 3.1)	S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
160 x 90	4.0	6	14.640	14.640	SANS 657-1(Def 3.1)	S 355
	4.5	6	16.410	16.410	SANS 657-1(Def 3.1)	S 355
	5.0	6	18.180	18.180	SANS 657-1(Def 3.1)	S 355
	6.0	6	21.660	21.660	SANS 657-1(Def 3.1)	S 355
	8.0	6	28.410	29.815	SANS 657-1(Def 3.1)	S 235
165.1 x 101.6	3.0	6	12.337	11.990	SANS 657-1(Def 3.1)	S 355
	3.5	6	14.350	13.590	SANS 657-1(Def 3.1)	S 355
	4.0	6	16.351	15.890	SANS 657-1(Def 3.1)	S 355
	4.5	6	18.339	17.810	SANS 657-1(Def 3.1)	S 355
	5.0	6	20.315	19.740	SANS 657-1(Def 3.1)	S 355
	6.0	6	24.230	23.540	SANS 657-1(Def 3.1)	S 355
177.1 x 88.9	3.0	6	12.304	11.990	SANS 657-1(Def 3.1)	S 355
	3.5	6	14.311	13.950	SANS 657-1(Def 3.1)	S 355
	4.0	6	16.307	15.890	SANS 657-1(Def 3.1)	S 355
	4.5	6	18.289	17.810	SANS 657-1(Def 3.1)	S 355
	5.0	6	20.260	19.740	SANS 657-1(Def 3.1)	S 355
	6.0	6	24.164	23.540	SANS 657-1(Def 3.1)	S 355
177.7 x 127	3.0	6	14.130	14.130	SANS 657-1(Def 3.1)	S 355
	3.5	6	16.440	16.440	SANS 657-1(Def 3.1)	S 355
	4.0	6	18.712	18.712	SANS 657-1(Def 3.1)	S 355
	4.5	6	21.030	21.030	SANS 657-1(Def 3.1)	S 355
	5.0	6	23.300	23.300	SANS 657-1(Def 3.1)	S 355
	6.0	6.1	27.820	27.820	SANS 657-1(Def 3.1)	S 355
	8.0	6.1 / 12.2	35.900	36.684	SANS 657-1(Def 3.1)	S 355
	10	6.1 / 12.2	44.388	44.388	SANS 657-1(Def 3.1)	S 355
180 x 60	2.0	6	7.493	7.493	SANS 657-1(Def 3.1)	CQ / SAE 1008
	2.5	6	9.335	9.335	SANS 657-1(Def 3.1)	CQ / SAE 1008
	3.0	6	11.050	11.050	SANS 657-1(Def 3.1)	S 355
	3.5	6	12.850	12.850	SANS 657-1(Def 3.1)	S 355
	4.0	6	14.640	14.640	SANS 657-1(Def 3.1)	S 355
	4.5	6	16.410	16.410	SANS 657-1(Def 3.1)	S 355
	5.0	6	18.180	18.180	SANS 657-1(Def 3.1)	S 355
	6.0	6	21.660	21.660	SANS 657-1(Def 3.1)	S 355
190.5 x 76.2	3.0	6	12.337	11.990	SANS 657-1(Def 3.1)	S 355
	3.5	6	14.350	13.590	SANS 657-1(Def 3.1)	S 355
	4.0	6	16.351	15.890	SANS 657-1(Def 3.1)	S 355
	4.5	6	18.339	17.810	SANS 657-1(Def 3.1)	S 355
	5.0	6	20.315	19.740	SANS 657-1(Def 3.1)	S 355
	6.0	6	24.230	23.540	SANS 657-1(Def 3.1)	S 355
200 x 100	3.0	6	13.905	14.108	SANS 657-1(Def 3.1)	S 355
	3.5	6	16.179	16.416	SANS 657-1(Def 3.1)	S 355
	4.0	6	18.441	18.712	SANS 657-1(Def 3.1)	S 355
	4.5	6	20.691	20.995	SANS 657-1(Def 3.1)	S 355
	5.0	6	22.928	23.267	SANS 657-1(Def 3.1)	S 355
	6.0	6 / 12.2	27.366	27.772	SANS 657-1(Def 3.1)	S 355
	8.0	6.1 / 12.2	36.094	35.900	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 12.2	44.624	44.390	SANS 657-1(Def 3.1)	S 235 or S 355
200 x 150	3.5	6.1 / 9.144 / 12.2	18.600	18.600	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	23.810	23.810	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	31.530	31.530	SANS 657-1(Def 3.1)	S 235 or S 355

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
200 x 150	8.0	6.1 / 9.144 / 12.2	41.630	41.630	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	51.550	51.550	SANS 657-1(Def 3.1)	S 235 or S 355
228.6 x 101.6	3.5	6.1 / 12.2	17.820	17.820	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 12.2	22.800	22.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 12.2	30.180	30.180	SANS 657-1(Def 3.1)	S 235 or S 355
228.6 x 127	3.5	6.1 / 9.144 / 12.2	18.600	18.600	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	23.810	23.810	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	31.530	31.530	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	41.630	41.630	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	51.550	51.550	SANS 657-1(Def 3.1)	S 235 or S 355
228.6 x 177	4.5	6.1 / 12.2	26.580	26.580	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 12.2	35.210	35.210	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 12.2	46.560	46.560	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 12.2	57.700	57.700	SANS 657-1(Def 3.1)	S 235 or S 355
	3.5	6.1 / 9.144 / 12.2	18.600	18.600	SANS 657-1(Def 3.1)	S 235 or S 355
250 x 100	4.5	6.1 / 9.144 / 12.2	23.810	23.810	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	31.530	31.530	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	41.630	41.630	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	51.550	51.550	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	27.755	26.580	SANS 657-1(Def 3.1)	S 235 or S 355
250 x 150	6.0	6.1 / 9.144 / 12.2	36.785	35.210	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	48.652	46.560	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	60.322	57.700	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	29.800	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
250 x 180	6.0	6.1 / 9.144 / 12.2	39.510	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	52.290	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	64.870	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	31.287	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
260 x 190	6.0	6.1 / 9.144 / 12.2	41.494	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	54.930	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	68.170	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	31.287	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
270 x 180	6.0	6.1 / 9.144 / 12.2	41.494	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	54.930	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	68.170	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	29.800	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
280 x 150	6.0	6.1 / 9.144 / 12.2	39.510	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	52.290	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	64.870	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	31.287	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	41.494	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
280 x 170	8.0	6.1 / 9.144 / 12.2	54.93	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	68.17	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	31.287	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	41.494	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
290 x 160	8.0	6.1 / 9.144 / 12.2	54.93	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	68.170	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
	4.5	6.1 / 9.144 / 12.2	27.755	26.550	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	36.785	35.210	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	48.652	46.560	SANS 657-1(Def 3.1)	S 235 or S 355
10.0	6.1 / 9.144 / 12.2	60.322	57.700	SANS 657-1(Def 3.1)	S 235 or S 355	

Please note: We specialize in non - standard items.

If you require any size, length or grade not on this list, please do not hesitate to contact our sales team.

SIZE (MM)	WALL (MM)	LENGTHS AVAILABLE (M)	KILOGRAMS PER METER		MANUFACTURING STANDARD	MATERIAL GRADE
			OFF-MILL	DRAWN		
300 x 150	4.5	6.1 / 9.144 / 12.2	31.287	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	41.494	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	54.930	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	68.170	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
300 x 200	6.0	6.1 / 9.144 / 12.2	46.203	39.500	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	61.209	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	76.019	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
300 x 220	4.5	6.1 / 9.144 / 12.2	35.460	35.460	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	47.060	47.060	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	62.350	62.350	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	77.450	77.450	SANS 657-1(Def 3.1)	S 235 or S 355
300 x 240	4.5	6.1 / 9.144 / 12.2	37.644	35.460	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	49.97	47.060	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	66.232	62.350	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	82.277	77.450	SANS 657-1(Def 3.1)	S 235 or S 355
306 x 206	4.5	6.1 / 9.144 / 12.2	35.460	35.460	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	47.060	47.060	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	62.350	62.350	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	77.450	77.450	SANS 657-1(Def 3.1)	S 235 or S 355
320 x 220	4.5	6.1 / 9.144 / 12.2	37.644	35.460	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	49.970	47.060	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	66.232	62.350	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	82.297	77.450	SANS 657-1(Def 3.1)	S 235 or S 355
340 x 100	4.5	6.1 / 9.144 / 12.2	29.800	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	39.510	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	52.290	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	64.541	64.870	SANS 657-1(Def 3.1)	S 235 or S 355
340 x 200	4.5	6.1 / 9.144 / 12.2	37.644	35.460	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	49.970	47.060	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	66.232	62.350	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	82.297	77.450	SANS 657-1(Def 3.1)	S 235 or S 355
350 x 100	4.5	6.1 / 9.144 / 12.2	29.800	29.800	SANS 657-1(Def 3.1)	S 235 or S 355
	6.0	6.1 / 9.144 / 12.2	39.510	39.510	SANS 657-1(Def 3.1)	S 235 or S 355
	8.0	6.1 / 9.144 / 12.2	52.290	52.290	SANS 657-1(Def 3.1)	S 235 or S 355
	10.0	6.1 / 9.144 / 12.2	64.860	64.860	SANS 657-1(Def 3.1)	S 235 or S 355